

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS



WWW.VENTUREINOVATIONS.COM

							•	•	•	•	•
							•	•	•	•	•
							•	•	•	•	•
•	•	•	•						•		
•	•	•	•				•	•	•	•	•
		•									

Welcome to New Generation of

Print Finishing & Print Enhancement Solutions

Venture Inovations, a prominent business house situated in Sankarapuram, Tamilnadu. Venture Inovations propelled to provide innovating solutions for very cost effective and competitive prices.

Venture Inovations entered into the market to provide innovative and the art of Print Finishing Technologies have successfully been serving the requirements of customers. Venture Inovations, Its Rapid development over the previous days is because of its unparalleled devotion to creating advancement of New Products.

Venture Inovations is always Advancing and Developing Company. We Help our Customers to do Better Business.

WHY WE ARE?

QUALITY

We take pride in providing high value products and services that we stand behind, which ensures customer satisfaction, profitability and the future of our growth.

SATISFACTION

We strive to provide exceptional customer service through flexible scheduling, quality products, efficient services, and innovative solutions resulting in value to the customer and company. Its and services that we stand behind, which ensures customer satisfaction, profitability and the future of our growth.

INNOVATION

We strive to provide exceptional customer service through flexible scheduling, quality products, efficient services, and innovative solutions resulting in value to the customer and company. Its and services that we stand behind, which ensures customer satisfaction, profitability and the future of our growth.

INTEGRITY

We behave in a manner that demonstrates trust, honesty, courage, consistency and responsibility.

are subjected to change without any

AUTOMATIC INTELLIGENT CUTTING SYSTEM

DIGITAL DIE CUTTING MACHINE - PK SERIES

Venture offers PK automatic intelligent cutting system adopts fully automatic vacuum chuck and automatic lifting and feeding platform. Equipped with various of tools, it can quickly and precisely make through cutting, half cutting, creasing and marking. It is suitable for sample making and short-run customized production for Signs, printing and Packaging industries. It is a cost-effective smart equipment that meets all your creative processing.

FEATURES:

- ▲ Integrated design
- 220V single phase electricity
- Built-in Computer (Optional)
- High precision vision registration system (CCD)
- Automatic sheet loading system
- ▲ QR code scanning system
- A Roll materials feeding system (Optional)




SPECIFICATIONS:

Cutting Head Type	P	K	PK Plus			
Machine Type	PK0604	PK0705	PK0604 Plus	PK0705 Plus		
Cutting Area(L*W)	600mm × 400mm	750mm × 530mm	600mm × 400mm	750mm × 530mm		
Flooring Area(L*W*H)	2350mm × 900mm × 1150mm	2600mm × 1000mm × 1150mm	2350mm × 900mm × 1150mm	2600mm × 1000mm × 1150mm		
Cutting TOOL	Universal Cutting Tool, Cre	easing Wheel, Kiss cut tool	Oscillating tool, Universal Cutting Tool, Creasing Wheel, Kiss cut tool			
Cutting Material	Car sticker, Sticker, Car stick		KT Board, PP Paper, Foam Board, Sticker, Reflective Material, Card Board, Plastic Sheet, Corrugated Board, Grey Board, Corrugated Plastic, ABS Board, Magnetic Sticker			
Cutting Thickness	≤2	mm	<6mm			
Media	Vacuum System					
Max Cutting Speed	1500mm/s					
Cutting Accuracy		± 0.1	mm			
Data Format	PLT、DXF、HPGL、PDF、EPS					
Voltage		0%50Hz				
Power	4kw					

WHY CHOOSE US?

- One Year Warranty
- Free Installation & Training
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery





PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

INTELLECTUAL DIGITAL DIE CUTTER

FLATBED DIE CUTTER - F4560

Venture offers a Digital Cutter with Proper alignment is achieved by black mark reading for every sheet; a camera equipped with i-mark technology performs black mark reading adjustments in a few tenths of a second. In addition to the half cut for adhesive sheets, heavy cutting may also be performed for all the applications which require that, such as labels, business cards, shaped business cards, small boxes and more; it successfully cuts cardboard with weight ranging from 150 to 400 gsm.

FEATURES:

- ▲ Direct USB makes the flat bed cutter reliable and convenient
- The linear guide of the flat bed cutter ensures high speed.
- The flat bed cutter feature imported digital servo drivers and their SD cards offer mass storage.
- The powerful compatible function enables connection with many different kinds of software. (We offer Dragon Cut)
- ★ The flat bed cutter has an LCD touch screen.
- Affordable digital sheet cutting.
- Versatile and fast, sheet fed packaging production.
- No cutting dies required.
- Two tools enhance productivity with folding lines as well as cut
- Digitally cut and crease any shape on card or cut labels.
- Dual tool flatbed cutter.
- ▲ Easy to Use.
- Various Material can be Scan.

SPECIFICATIONS:

Dual Cutting Head: Blade & Ball Bearing Creasing Tool

Contour Full Cutting & Kiss Cutting, Creasing, Drawing Working Method:

Machine Size (inch) 18 x 23 **Cutting Speed** 600mm/s **Cutting Force** 510g Maximum Cutting Weight 450g

Minimum Cutting Size About 5 sq.mm Positioning Sensor Type **Optical Sensor** < 0.05 mmRepeat Accuracy

Contour Cutting Area Effective Contour Cutting Area: 457 x 609 mm

USB Interfaces

Dragon Cut Pro

220V 600W

Effective Cutting Area: 467 x 629 mm

Media Hold Method Vacuum Suction

Cutting Control System Servo

Connectivity

Software and Compatibility

Power Source

123 x 99 x 31 Cms Package Dimension

Net Weight 47kg



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)



Pictures shown is for Illustration purpose only. Actual Product may vary due to Product Enhancement

Door Step Delivery

AUTOMATIC DIGITAL CUTTING PLOTTER

HALF AND FULL CUTTER - TOYOCUT

Venture offers a Digital Cutter with Proper alignment is achieved by black mark reading for every sheet; a camera equipped with i-mark technology performs black mark reading adjustments. In addition to the half cut for adhesive sheets, heavy cutting may also be performed for all the applications which require that, such as labels, business cards, shaped business cards, and more; it successfully cuts media with weight ranging from 200 to 400 Gsm.

FEATURES:

- Professional design to guarantee media save(only 5mm edge margin).
- Support 100 Sheet Loading Capacity.
- High speed to save working time.
- Intelligent program to correct cutting position when media slip.
- Fast speed with high precision (35pcs 5cm circles only take 63s).
- Direct Corel Draw output, No need extra softwares.
- Support USB disk and USB cable communication.
- Full Metal Machine Body, Solid & Practical Workmanship.
- The Newest ARM Processor, Smooth Surface and Accurate Cutting control.
- ▲ Faster Speed.
- ▲ Less Noise, Less than 60 db.
- ▲ Auto Paper Feeding System.
- Maximum Continuous Cutting 2000 sheets.
- Various Material can be Scan.



SPECIFICATIONS:

Max media width
Max cutting width

Blank size

Mainboard Interface

Control panel

Driver Display

Max cutting speed
Max cutting thickness

Pressure

Mechanical precision Repeatable precision

Power supply

Operational environment:

Package details Machine Dimension Carton size 350mm 340mm

5mm edge ma<mark>rgin</mark>

High Speed Arithmetic Microprocessor, 4M cache

USB/U Disk

Thin film switch(Life 1 million times)

Digital DC, Step motor, Micro-step driver

2*16 high resolution LCD

800mm/s

1_{mm}

50-800g (160grades Digital Adjustable)

0.025mm <+- 0.1mm

AC90~240V / 50HZ~60HZ, 250W

 $+5^{\circ}$ C ~ $+35^{\circ}$ C , Relative Humidity 30%~70%

Net weight: 25kg; Gross weight: 30kg

76 * 57 * 36 Cms 88* 52 * 40 Cms

WHY CHOOSE US?

- One Year Warranty
- → Free Installation & Training
- Lifetime Service & Spares
 Support
- Annual Maintenance Service (Optional)
- Door Step Delivery

VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

AUTOMATIC DOUBLE HYDRAULIC PROGRAMMABLE

PAPER CUTTING MACHINE - DHP

Venture offers a wide range of Digital Paper cutter for Digital printers/ photo album makers and commercial offset printers. These machines are compact and hence occupy less space, robust technology and are backed by an excellent after sales service from Venture. These models have become the need of the hour for the industry.

FEATURES:

- ▲ Touch screen display 7".
- ▲ Top-suspended ball screw and nut for pushing paper.
- ▲ High speed of pushing and high precision of cutting.
- ▲ Double hydraulic system, each for clamping and cutting.
- ▲ CE standard with safety latch & operator safety sensors.
- → High speed of paper push and cutting.
- Double push guide rail for better accuracy.
- ▲ 13mm Stainless steel table with balls makes it easy to handle pile of paper.
- Blade height adjustment by program.
- Pressure gauge for oil, clamp pressure gauge are in front display.
- A Options for setting parameters viz. inch/mm, Language, Time, Screen Brightness.
- Self check mode.
- Shortcut key option for repeat jobs.
- Program setting for repeat jobs.
- ★ Foot pedal or auto press option.
- ▲ Centralized control circuit for easy maintenance.
- Integrated console.

SPECIFICATIONS:

Max. Cutting Size (mm)
Max. Cutting Thickness (mm)
Min. Cutting Size (mm)
Cutting Accuracy (mm)
Press Mechanism
Cutting Mechanism
Min. Cutting Adjustment
Power
Machine Size (mm)
Weight (Approx.)

520x520 80 30 (±) 0.2 Hydraulic+Pedal Hydraulic 0.1 mm 220V, 2.5 KVA 1280*1010*1460 450 KGS

520 DHP

670x670 80 30 (±) 0.2 Hydraulic+Pedal Hydraulic 0.1 mm 220V, 2.9 KVA 1400*1160*1460 600 KGS

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Door Step Delivery

*Terms & Conditions Apply



VENTURE INCVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WWW.VENTUREINOVATIONS.COM



are subjected to change without any

INTELLIGENT INVERTER ELECTRIC PROGRAMMABLE

PAPER CUTTING MACHINE - EPC

Venture offers a wide range of Digital Paper cutter for Digital printers/ photo album makers and commercial offset printers. These machines are compact and hence occupy less space, robust technology and are backed by an excellent after sales service from Venture. These models have become the need of the hour for the industry.

FEATURES:

- Touch screen display.
- ★ The self developed control system runs smoothly to ensure precise control of the machinery.
- Integrated casting gantry design is adopted with high cutting precision and not easy to deform.
- Ultra High responsiveness, Object recognition ability, millisecond responses with CE Standards.
- Double automatic breaker safety.
- T Type screw Double push guide rail to ensure walking
- ▲ Independent Electrical Cabinet design to protect the main board & Circuit safety.
- Running Swing Arm Structural Design to ensure cutting accuracy.
- ▲ 80 mm cutting thickness.
- Blade height adjustment from outside.
- Program setting for repeat jobs.
- One key access to commenty used cutting sizes to improve work efficiency.
- Centralized control circuit for easy maintenance.

SPECIFICATIONS:

Max Cutting Size (mm) Display Max. Cutting Thickness (mm) Min. Cutting Size (mm) Cutting Length behind Knife mm (mm) Cutting Accuracy (mm) Press Mechanism Cut Mechanism

Pushing Mechanism **Programmable**

Power

Machine Size (mm) Net Weight (Kgs)

500 x 500 mm 7" Touch Screen 80 25 mm 500 mm (±) 0.2 mm Electric Electric CNC Yes

EPC

220V, 50/60 Hz , 750W 990 * 790 *1200 mm 220 kgs.

WHY CHOOSE US?

- One Year Warranty
- Free Installation & Training
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery





VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India


DESKTOP SINGLE & DUAL SIDE

THERMAL LAMINATION MACHINE - FM360

Venture offers Latest state of the art model. FM360 can take rolls up to 500 metres (30 microns) and you can do 1 sides or 2 side thermal lamination. With table top design the speed offered is up to 3 metres per minute or 6 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality output.

FEATURES:

- Chromed roller with high efficient heating.
- Variable speed control.
- Proportional temperature control.
- Dual functions for single and double side
- Laminating with different thickness BOPP film, PET film Double / Single side lamination.
- Laminating your Album Prints, Catalogues, Documents, Graph Papers, Indoor Advertise etc.
- Compact in Size.
- Low power consumption.
- Easy to Operate.
- Ready to Use / Plug & Play.



SPECIFICATIONS:

Feeding width Feeding length Thickness Speed **Dual Side laminate** Motor Power Power **Dimensions** Weight

130-340 mm 110-999 mm 80-400 Gsm Up to 3 metres / minute Yes 30W 230V 50 Hz, 700W 64 x 44 x 28 Cms 32 Kgs

VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WHY CHOOSE US?

Six Months Warranty

Ready to Use (Plug & Play)

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Door Step Delivery

WWW.VENTUREINOVATIONS.COM

DESKTOP HEAVY DUTY DUAL SIDE

THERMAL LAMINATION MACHINE - F350A

Venture offers Latest state of the art model with high capacity rolls feeder. F350A can take rolls up to 500 metres (30 microns) and you can do 1 sides or 2 side thermal lamination. With table top design the speed offered is up to 5 metres per minute or 10 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality output.

FEATURES:

- Latest State of the art design.
- A Chromed roller with high efficient heating.
- Sensors for feeding of paper and auto stop for no paper.
- Technology to stop film rolling cover on the rollers.
- A Patent of auto-disconnecting; reduce the manual labour.
- Patent of perforating technology. Trims films from the side and avoid extra process post lamination.
- Spindle for cold lamination with tension adjustment knob.
- ▲ Digital control for speed; adjustable for pressure of lamination; meet different demands.
- Anti curl rollers.
- Patent of anti-curler with 18 level and cooling fan.
- 1 inch and 3 inch film core saves on film cost and roll replacement time.
- LCD; it's convenient for setting and operation.



SPECIFICATIONS:

Feeding width
Feeding length
Thickness
Speed
Dual Side laminate
Anti Curl Gear
Perforation
Auto Sheet cutter
Power
Dimensions
Weight

130-350 mm 110-999 mm 80-400 Gsm Up to 5 metres / minute Yes

Yes Yes

No

230V 50 Hz, 1800W 46 x 60 x 51 Cms 48 Kgs

WHY CHOOSE US?

- One Year Warranty
- → Free Installation & Training
- + Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

DESKTOP HEAVY DUTY DUAL SIDE

THERMAL LAMINATION MACHINE - MINILAM

Venture offers Latest state of the art model with high capacity rolls feeder. With table top design the speed offered is up to 5 metres per minute or 10 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality output especially for high glossy photo album sheets.

FEATURES:

- Variable speed control.
- A Proportional temperature control.
- ▲ Long Conveyor Table for easy Feeding.
- Option for Foiling.
- Dual functions for single and double side lamination with foot pedal control.
- Laminating with different thickness BOPP film, PET film Double / Single side lamination.
- Feeding platform is large and moving positioning baffle is easy to use.
- Laminating your Album Prints, Catalogues, Documents, Graph Papers, Indoor Advertise etc.
- Compact in Size.
- ▲ Low power consumption.



SPECIFICATIONS:

Minilam 380 Minilam 520

Feeding width 130-365 mm
Feeding length 110-999mm
Thickness 80-400 gsm
Speed Up to 5 metres / minute

Dual Side laminate

Winding Option

No

Optional

No. of Rollers
Perforation
4 Rollers
Yes

Foiling Option No Yes

Power 230V 50 Hz, 1900W 230V 50 Hz, 2100W Weight 52 Kgs 65 Kgs



VENTURE INCVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Pictures shown is for Illustration purpose only. Actual Product may vary due to Product Enhancement

Door Step Delivery

WWW.VENTUREINOVATIONS.COM

INDUSTRIAL HEAVY DUTY DUAL SIDE

THERMAL LAMINATION MACHINE - DM350

Venture offers Latest state of the art model with high capacity rolls feeder. D350 can take rolls up to 2000 metres (27 microns) and you can do 1 sides or 2 side thermal lamination. With stand design, the speed offered is up to 9 metres per minute or 20 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality output.

FEATURES:

- Latest State of the art design.
- 100 mm Chromed roller with high efficient heating.
- ▲ Long Conveyor Table.
- Patent of perforating technology. Trims films from the side and avoid extra process post lamination.
- Digital control for speed; meet different demands.
- ↑ 1 inch and 3 inch film core saves on film cost and roll replacement time.
- Convenient for setting and operation.
- Easy to operate.
- User Friendly.
- Less Warmup time.
- Less power consumption.
- Laminating your Album Prints, Catalogues,
 Documents, Graph Papers, Indoor Advertise etc.
- Option for Foiling.



SPECIFICATIONS:

Feeding width
Feeding length
Thickness
Speed
Heating Method
Dual Side laminate
Perforation
Auto Sheet cutter
Rewinding
Power
Dimensions

Weight

110-999 mm
80-400 Gsm
Up to 9 metres / Minute
Infrared Internal Heating
Yes
Yes
No
Yes
230V 50 Hz, 1600W
120*70*74 Cms

120 Kgs

130-350 mm

WHY CHOOSE US?

- One Year Warranty
- → Free Installation & Training
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

INDUSTRIAL HEAVY DUTY SINGLE SIDE AUTO-CUT

THERMAL LAMINATION MACHINE - SM350A

Venture offers Latest state of the art model with high capacity rolls feeder. With table design the speed offered is up to 7 metres per minute or 15 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality outputs.

FEATURES:

- Chromed roller with high efficient heating.
- Variable speed control.
- Proportional temperature control.
- ▲ Long Conveyor Table for easy Feeding.
- Laminating with different thickness BOPP film, PET film Single side lamination.
- Laminating your, Catalogues, Documents, Graph Papers, Indoor Advertise etc.
- ▲ Compact in Size.
- ▲ Low power consumption.
- ▲ Accurate conveyor feeding.
- Feeding platform is large and moving positioning baffle is easy to use.
- Option available for hanging standby spare film to change films easily.
- Over temperature alarm.
- ▲ It will separates the paper automatically.
- Lower Roller is nonstick and high Temperature Resistant Silicon.



SPECIFICATIONS:

130-350 mm Feeding width 110-999 mm Feeding length Feeding Type Manual Anti Curl Function Yes **Thickness** 80-400 gsm Up to 7 metres / minute Speed **Auto Cut Function** Yes **Dual Side laminate** No Winding Option No Perforation Yes 230V 50 Hz, 1500W Power 120 * 75 * 120 Cms **Dimensions** 180 Kgs Weight



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

.

• • • •

Door Step Delivery

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

*Terms & Conditions Apply

WWW.VENTUREINOVATIONS.COM

INTELLIGENT AUTOMATIC HEAVY DUTY SINGLE SIDE

THERMAL LAMINATION MACHINE - SA350A

Venture offers Latest state of the art model with high capacity rolls feeder. With table design the speed offered is up to 7 metres per minute or 15 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality outputs.

FEATURES:

- ▲ Chromed roller with high efficient heating.
- ▲ Variable speed control.
- Proportional temperature control.
- Smooth Automatic feeding.
- ▲ Fast and Efficient.
- The thickened steel roller heats up quickly.
- Laminating with different thickness BOPP film, PET film Single side lamination.
- ▲ Laminating your , Catalogues, Documents, Graph Papers, Indoor Advertise etc.
- ▲ Compact in Size.
- ▲ Low power consumption.
- Stepless Speed Regulation.
- Over Temperature Alarm.
- It will separates the paper automatically.
- ▲ Lower Roller is nonstick and high Temperature Resistant Silicon.
- Professional Temperature measurement unit for accurate temperature control.



Feeding width Feeding length **Thickness** Feeding Type Anti Curl Function **Thickness** Speed Auto Cut Function Lamination **Heating Method**

Power **Dimensions**

Weight

110-999 mm 80-400 Gsm Automatic Yes 80-400 gsm Yes

Up to 7 metres / minute

Single Side

Infrared internal heating 230V 50 Hz, 1600W 122 * 79 * 138 Cms

220 Kgs



WHY CHOOSE US?

- One Year Warranty
- Free Installation & Training
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery



PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

HEAVY DUTY HYDRAULIC SINGLE SIDE

THERMAL LAMINATION MACHINE - SMH520

Venture offers Latest state of the art model with high capacity rolls feeder. With table design the speed offered is up to 15 metres per minute or 40 13x 19" sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality outputs.

FEATURES:

- Chromed roller with high efficient heating.
- Variable speed control.
- Proportional temperature control.
- Long Conveyor Table for easy Feeding.
- Laminating with different thickness BOPP film, PET film Single side lamination.
- Laminating your, Catalogues, Documents, Graph Papers, Indoor Advertise etc.
- ▲ Low power consumption.
- ▲ Accurate conveyor feeding.
- Feeding platform is large and moving positioning baffle is easy to use.
- Compact in Size.

Specifications are subjected to change without any

- Low power consumption.
- Lower Roller is nonstick and high Temperature Resistant Silicon.
- ▲ Professional Temperature measurement unit for accurate temperature control.



Feeding width Feeding length **Thickness**

Steel Roller Diameter Rubber roller diameter

Feeding Type Anti Curl Function

Thickness Speed

Trimming function

Perforating function

Lamination

Heating Method

Power

Weight

130-520 mm 110-999 mm 80-500 Gsm

200 mm 150mm

Manual

Yes

80-400 gsm

Up to 15 metres / minute

Yes Yes

Single Side

Infrared internal heating 230V 50 Hz, 3900W

320 Kas



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Door Step Delivery



HEAVY DUTY HYDRAULIC SINGLE SIDE AUTO-CUT

THERMAL LAMINATION MACHINE - HE390A

Venture offers Latest state of the art model with high capacity rolls feeder. With overlap feeding is to ensure the speed offered is up to 8 metres per minute or 16.13×19 " sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality outputs.

FEATURES:

- → Heavy Duty reinforce fuselage.
- ➤ Variable speed control.
- Large Hydraulic pressure can be manually pressurized the film is more smooth and effective and the original color of the print can be restored.
- Thickened Mirror Steel roller is more compact, Good Thermal Conductivity and easy to clean..
- Laminating with different thickness BOPP film, PET film Single side lamination.
- Laminating your, Catalogues, Documents, Graph Papers Indoor Advertise etc.
- Compact in Size.
- Automatic Edging is to ensure the space between the sheets are same and Improving the Efficiency..
- Automatic stop option is to sensing probe at the Paper feed.
- Over temperature alarm.
- It will separates the paper automatically.
- Lower Roller is nonstick and high Temperature Resistant Silicon.

Dimensions Weight

SPECIFICATIONS:

Feeding width 130-390 mm 110-999 mm Feeding length Manual Feeding Type Anti Curl Function Yes 80-500 gsm Thickness Speed Up to 8 metres / minute Auto overlap function Yes **Auto Cut Function** Yes **Dual Side laminate** No Perforation Yes 230V 50 Hz, 1600W Power

WHY CHOOSE US?

- One Year Warranty
- ★ Free Installation & Training
- Lifetime Service & Spares Support
- + Annual Maintenance Service (Optional)
- → Door Step Delivery



145 * 80 * 138 Cms

260 Kgs

VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

HEAVY DUTY HIGH SPEED AUTOMATIC

HALF CUT, CREASER & PERFORATOR - C660+

Venture offers Latest state of the art model with high capacity rolls feeder. This is Automatic adhesive sticker half cutting machine is high efficiency to reducing the manpower cost. This machine ensures the speed is more than 130 metres per minute or 8000 sheets per hour. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality outputs.

FEATURES:

- Flexible range of counter. This machine can preset count auto-stop and delay on start.
- We use the scratch resistance and abrasion resistance cutting steel roller.
- Surface is hard chrome plated.
- The rollers are harden by quenching which makes the cylinder not get deformed and more durable.
- Narrow the half cutting line spacing.
- The blades are made of tungsten steel, which is specially for slitting self-adhesive papers.
- A Blade's mirror cutting edge is shape enough to make the blades durable.
- New type side lay makes high precision position of paper, more reasonable structure and more easy and simple operations.
- Processes more than 8000 Sheets per hour.
- Half cutting Minimum Spacing is 2mm.
- 2 row Half cutting knives.
- Exceptional versatility in handling various production volumes and applications.

SPECIFICATIONS:

Max. Paper Size
Min. Paper Size
Sticker Knife
Paper Weight
Half Cutting Gap
Min. Half Cutting Gap
Speed
Paper Feeding Way
Standard Configuration

Power Dimensions Weight 620 x 470 mm
90 x 120 mm
Straight Knife
50 - 350g
2 mm
7mm
130m/min
Air Suction Type
20 Straight Knives
3 Creasing Moulds
1 Perforating Knife
220V / 50Hz , 1050W
1400 x 870 x1100 mm
160kgs



VENTURE INDVATIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WWW.VENTUREINOVATIONS.COM



WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Pictures shown is for Illustration purpose only. Actual Product may vary due to Product Enhancement.

Door Step Delivery

*Terms & Conditions Appl



are subjected to change without any

DESKTOP DIGITAL SEMI AUTOMATIC PROGRAMMABLE

CREASER CUM PERFORATOR - SAC340

Venture offers Latest state of the art model with table top design the speed offered is up to 50 A4 sheets per minute. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality output.

FEATURES:

- ★ Keyboard control panel.
- Chinese & English display.
- → Width up to 330 mm.
- Humanization design.
- Versatile in paper selection.
- ▲ No-paper/Paper jam detection.
- \triangle Accuracy up to \pm 0.1 mm.
- Side Gauge can be fine adjusted according to different angle of paper.
- → High Precision servo motor.
- ▲ Different module for option, easy to replace.
- A Pressure Can be adjusted to meet different paper.
- Can replace the different indentation tool.
- Automatic paper detection.



SPECIFICATIONS:

Paper Feeding Mode
Paper feeding speed
Paper feed
Creasing thickness
Creasing Interval
Creasing precision
Creasing
Standard Tools
Power supply
Machine size
Weight

Manual Feeding
25-50sheets/min
30-330mm
0-400 Gsm
1 mm
0.3 mm
16 Strips per sheet
Creasing & Perforation
220V, 50 Hz, 120W
120 * 47 * 42cm
62 kg

WHY CHOOSE US?

- One Year Warranty
- + Free Installation & Training
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery



WWW.VENTUREINOVATIONS.COM

AUTOMATIC DIGITAL PROGRAMMABLE

CREASER CUM PERFORATOR - AC350

Venture offers Latest state of the art model with table top design the speed offered is up to 4000 sheets per hour. It gives you high productivity at affordable price. Advanced features ensure high productivity, ease of operations and high quality output.

FEATURES:

- Keyboard control panel.
- → Width up to 330 mm.
- Humanization design.
- Versatile in paper selection.
- No-paper/Paper jam detection.
- \triangle Accuracy up to \pm 0.1 mm.
- Side Gauge can be fine adjusted according to different angle of paper.
- Different module for option, easy to replace.
- Pressure Can be adjusted to meet different paper.
- Can replace the different indentation tool.

SPECIFICATIONS:

Creasing paper thickness Perforating paper thickness

Input paper size

Max creasing speed Min. Crease distance

Min. Distance from the edge

Creasing precision No. of Creasing

Count function

Workgroup storage Skew adjustment

Feeding method

Max. Feeding Height

Voltage/Power

Machine size Machine net weight

70g-350g/0.07-0.35mm 70g-200g/0.07-0.2mm

148x130mm~330x660mm

4000 Sheets / Hour

1 mm 5_{mm}

±0.3mm 0 to 32 times

Positive and negative counting

30 group ±2mm

Top air suction

100 mm

220V/50HZ/200W 156 *56 *68 Cms

78 Kgs



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Pictures shown is for Illustration purpose only. Actual Product may vary due to Product Enhancement.

Door Step Delivery



INTELLIGENT INDUSTRIAL GRADE SINGLE CLAMP

PERFECT BINDING MACHINE

Venture offers Latest state of the art model with industrial grade design. Perfect Binding is a process where a machine uses a hot melt glue to binding the book block to a hard or printed cover. Perfect Binding is a premium production that has many application. It is ideal for catalogue, self publisher, workbooks and much more. Perfect Binding has a premium appearance, but it less time consuming and more cost effective than mechanical binding. Easy operation, low acquisition.

FEATURES:

- Dual Mode Glue binding.
- All in one large glue tank.
- Sun Cutter & Milling Cutter.
- Book Spine angle adjustment.
- ▲ Dual Rail Guide.
- ▲ Industrial Grade Circuit system.
- ▲ Two way rail brake.
- ▲ Humanized book Shelf.
- ▲ All Aluminum two way double screw trolley.
- Free glue level adjustments.
- No Pungent Odour.
- Environmentally Friendly.
- No Smoke.



SPECIFICATIONS:

Max. Binding Length
Max. Thickness
Milling cutter
Side Glue
Operating Speed
Warm Up Time
Power Supply
Power Consumption
Machine Size (mm)
Machine Weight

PB320 320 mm 55 mm Yes Yes 200-250/ Hour 25 Mins 220V Single Phase 1200 W 1300x480x980 mm 170 Kgs PB420 420 mm 60 mm Yes Yes 250-300/ Hour 35 Mins 220V Single Phase 1800 W 1580x610x1035 mm 220 Kgs

WHY CHOOSE US?

- One Year Warranty
- ★ Free Installation & Training
- Lifetime Service & Spares
 Support
- Annual Maintenance Service (Optional)
- Door Step Delivery



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

INTELLIGENT INDUSTRIAL HEAVY DUTY

LASER CUTTING AND ENGRAVING MACHINE

Venture offers Latest state of the art model of three reflection mirrors and one lens design to ensure stable and constant light path, excellent for cutting/ engraving. Economic, cost-effective multi-functional laser cutting machine. Reliable product quality and overall cutting ability (Multi-Functional, Applicable for cutting Acrylic, MDF, Die Board, Papers & Boards, Wood, Ceramic, Plastic, Wood Planks, Bamboo Ware, Double Color Board, Leather, Shell, Coconut Shell, Ox Horn, Resin Animal Grease, ABS Board, Lamp Shade, etc). Nocontact metal cutting auto-following device, to cut all kinds of materials with less investment.. Advanced features ensure high productivity, ease of operations and high quality output.

FEATURES:

prior notice

Specifications are subjected to change without any

- Low Noise, Low Vibration, Smooth Operation.
- More Reliable, Industrial Design for Better Precision.
- Advanced Micro Controller.
- Easy to Operate & Compact in Size.
- Available in Both Honey Comb & Knife Bed.
- Automatic up and down working table, automatic focus system, ensuring the best focussing and processing effect.
- Higher Acceleration Ability.
- With optional rotary attachment, it can achieve fine engraving for various non-metal cylindrical and tubular materials.
- Suitable for engraving and cutting a variety of nonmetal materials.



SPECIFICATIONS:

6040 1390 1325 Working Size(mm) 600 x 400 mm 1300 x 900 mm 2500 x 1300 mm 100W, 130W, 150W 100W,130W Laser Power (Max.) 60W, 80W Engraving Speed (Max.) 0-60000 mm/min **Cutting Speed** 0-40000 mm/min Control System Ruida PLC Up Down Table Yes Optional No Laser Output 1-100% Software Setting **Drive System** Stepper Motor Minimum Character 1 mm 256 MB Memory Buffer **Operating Temperature** 0 degree-45 degree **Operating Humidity** 5-95% **Graphic Format Support** BMP, PLT, DST, DXF, AI Software Supported TAJIMA, CorelDraw, Photoshop, AutoCAD Water Cooling and Protection System Cooling Mode

220v, 50Hz/60Hz



Power

WHY CHOOSE US?

One Year Warranty

Free Installation & Training

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Door Step Delivery



WINDOW CUTTING MACHINE

4 In 1 PROGRESSIVE WINDOW CUTTER

The All New Photo book binder machine is new Era of produce lay Flat photo book in two side print segment. An innovative technology of doing three very time consuming process are Window Cutting / Creasing & Hole Punching at one time makes this equipment absolutely unique.

FEATURES:

- Four main processes in single machine
- Fully PLC based programmed
- ⅄ Servo mechanism
- Inbuilt 5 types of different binding
- Touch Controller
- ▲ Album repair option
- ▲ Manual mode
- Any two process in single registration
- ▲ 100% lay flat opening in any binding option
- Dual Coated blade



SPECIFICATIONS:


Working Principle Blade Material Mechanical Principle Program Loader User Interface Power supply Dimension

Weight

Pneumatic+Electric D2 with hard Chromed Stepper with ball screw **PLC** Touch Screen 220 volt -50hz 62x38x63 Inches 325kg

WHY CHOOSE US?

- One Year Warranty
- Free Installation & Training
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery





No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

WINDOW CUTTING MACHINE

MANUAL WINDOW CUTTER WITH/WITHOUT STAPLER

The All New Photo book binder machine is new Era of produce lay Flat photo book in two side print segment. An innovative technology of doing three very time consuming process are Window Cutting / Creasing & Hole Punching at one time makes this equipment absolutely unique.

FEATURES:

- Two main processes in single machine
- High Production Speed
- ▲ 100% lay flat opening
- ▲ Dual Coated blade
- ▲ Easy album removal system



SPECIFICATIONS:

Working Principle Pneumatic+Electric
Blade Material D2 with hard Chromed
Mechanical Principle Stepper with ball screw

Program Loader No User Interface No

Power supply 220 volt -50hz Dimension 62x38x63 Inches

Weight 290 kgs



VENTURE INCVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

One Year Warranty

Free Installation & Training

WHY CHOOSE US?

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

*Pictures shown is for Illustration purpose only. Actual Product may vary due to Product Enhancement.

Door Step Delivery

*Terms & Conditions Apply



INDUSTRIAL GRADE HEAVY DUTY

WIRO - SPIRAL - CALENDER BINDER - SUPER 450

Venture offers Super 450 Manual Twin Loop Wire & Spiral Binding Machine renders efficiency and productivity. Its full range of functions and state of the art mechanisms were especially designed with one goal in mind: to fully meet the needs of the wire binding industry! Its great features and excellent design make the Venture Super 450 Manual Binding Machine the most popular wire binding machine on the market. The Venture Super 450 available in both a 3:1 pitch and a 2:1 pitch configurations includes all metal construction, fully dis-engageable dies, a convenient wire hanger and a sturdy wire closer.

FEATURES:

- Semi-automatic electric paper punching machine which can be used in industry, notebook producing factory ,enterprise and large organizations with firm design.
- Advanced motor reducer and special-made mechanical clutch.
- A Motor can run continuously for 24 hours and punching controlled by foot pedal which is easy and safe for operation.
- Interchangeable die is easy and fast, which can punch various holes. Closing double wire is also available by changing punching dies into closing die and can close any size of double wire.
- Punching depth margin can also adjustable from 2mm to 6mm which make this machine perfect.
- Can change dies, choose different hole
- Electric wire closing system change closer
- Easy operation by foot pedal
- \wedge Can closer wire size from 3/16 "(4.8mm) to 1/2" (38mm)

SPECIFICATIONS:

Punching Width 430 mm Punching Thickness 4 mm

Punching Speed 150 times/minute

Motor Power 220V/50Hz, 1500W, 1 Phase

Weight 190Kg



WHY CHOOSE US?

- One Year Warranty
- ★ Free Installation & Training
- Lifetime Service & Spares
 Support
- Annual Maintenance Service (Optional)
- Door Step Delivery

•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

WIRO & SPRIAL MACHINES

MANUAL 2 IN 1 WIRO BINDING MACHINE - WW2500A

SPECIFICATIONS:

Wire Wiro (3:1) & (2:1)

Manual **Power**

Use Wire bind Machine

Punching Capacity 25 sheets

Binding Capacity 140/300 sheets Punching Width(mm) Below 340mm Number of Holes 27(2:1) & 40 (3:1)

Adjustable Margin(mm) 2.5,4.5,6.5

Dis-Engangable Dies ALL

Net Weight 25.5 Kgs

Size of Machine(cm) 48 x 40.5 x 22



MANUAL 2 IN 1 WIRO & SPIRAL BINDING MACHINE - SW2500A



SPECIFICATIONS:

Binding Form Power Punching Capacity Binding Capacity Punching Width (mm) Adjustable Margin Dis-Engangable Dies

Net Weight (kg)

Wiro 3:1 and Spiral 4:1

Manual

25 sheets (80g paper) 140 sheets / 300 sheets

Below 340mm 2.5, 4.5, 6.5

ALL

28.5

Size of Machine (cm) $48 \times 40.5 \times 22$

MANUAL HOLE PUNCHING MACHINE - PC200 PLUS

SPECIFICATIONS:

Specifications are subjected to change without any prior notice

Punching Thickness 15 Sheets Binding Width 300mm/A4 6.35mm Pitch No of Punch Pins 46

Binding Thickness 150 sheets Material Metal Weight 7 Kgs

Machine Size(cm) 46 x 23 x 31






VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com



One Year Warranty

Quality Products

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Door Step Delivery

are subjected to change without any

PAPER TRIMMER

MANUAL PAPER CUTTING MACHINE - MPC17

FEATURES:

- → Heavy Duty Professional Rim Cutter.
- Metal Base.
- Max. 400 sheet Capacity.

SPECIFICATIONS:

17" Inches Maximum cutting size 40mm Maximum cutting Thickness Cutting height 40mm Base material Metal 26X24X7.5 mm Machine size(inch) 19 Kgs Weight



CREASER

MANUAL MATRIX CREASING MACHINE - MPC17




SPECIFICATIONS:

460 mm Width Creasing depth 1 mm Manual Creasing Way **Gross Weight** 5 Kgs

Machine Size 690 X 490 X 125mm

WHY CHOOSE US?

- One Year Warranty
- **Quality Products**
- Lifetime Service & Spares Support
- Annual Maintenance Service (Optional)
- Door Step Delivery





PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1" Floor, 1" Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

BINDING MACHINE

MANUAL WIRE STITCHER WITH GERMAN HEAD



FEATURES:

- German Head can Stitching more stable & Faster.
- Free Adjust the binding thickness according to the book size.
- Equipped with foot pedal for easy operation.
- Flat & Saddle Stitching.

SPECIFICATIONS:

Binding Speed 0-80 Times/Min

Head Single Head (German Make)

Wire Size 24,25,26 Thickness 0.2-5mm

Power 220V/50Hz, 180W

Weight 30 Kgs

BINDING MACHINE

ELECTRIC PAPER DRILLING (HOLE PUNCHING) MACHINE

FEATURES:

Specifications are subjected to change without any prior notice

- Easy to Operate.
- Continuous Play.
- ▲ Adjustable Table.

SPECIFICATIONS:

No. of Punching Bits

Max. Punch Thickness 50 mm
Punching Margin 5-70 mm

Table Size 230 X 300 mm

Maximum Punching A4
Punch Diameter 3-9 mm
Punching Method Manual

Power Supply 220V, 50/60Hz, 250W

Motor Speed 2800 rpm Weight 22 kg

Dimensions 425 X 300 X 470 mm





VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India

+91 88703 27581 | info@ventureinovations.com

WHY CHOOSE US?

One Year Warranty

Quality Products

Lifetime Service & Spares Support

Annual Maintenance Service (Optional)

Door Step Delivery

*Terms & Conditions Appl

ROUND CORNER CUTTER

MANUAL CORNER CUTTER - REC

FEATURES:

- ▲ The strongest and most efficient one
- ▲ Interchangeable dies (6 kinds of die)
- Good for Paper, Binding Covers, Laminated Badges, Books...etc
- With waste tray and tools/dies storage tray
- ▲ Machine equipped radius 6mm(R6)
- Available Die Options: Radius 3.5mm, 6mm, 10mm, Straight cut, hole, semicircle
- Optional: Ruler Set



Operation Manual

Maximum Capacity 10mm 110 sheets
Dimensions L22.7 x W14 x H14.7 cm

Weight 2.2 Kgs











ELECTRIC ROUND EDGE CORNER CUTTER - E-REC

FEATURES:

- → 7 dies no R2 to R8
- Change of die is quick.
- Can cut Paper, s<mark>oft material , pvc, c</mark>ardboard etc.
- Ideal for visiting cards, album, books, menu card...
- Foot pedal operated.
- Built in waste basket.
- Operator safety device for change of die.



Cutting Thickness 80 mm
Cutting Method Electric
Build In Die R2 to R8

Speed 56 Stokes/Minute

Power 220V, 50/60 Hz, 100W

Weight 35 kgs



WHY CHOOSE US?

- One Year Warranty
- → Quality Products
- Lifetime Service & Spares
 Support
- + Annual Maintenance Service (Optional)
- → Door Step Delivery



VENTURE INDVATIONS

PRINT FINISHING & PRINT ENHANCEMENT SOLUTIONS

No - 266, 1st Floor, 1st Palamedu, Near Taluk Office, Sankarapuram - 606401, Tamilnadu, India